

THE ASTROPHYSICAL JOURNAL
CONTENTS OF VOLUME 584, PART 1

2003 FEBRUARY 10, NUMBER 1

| | Page |
|---|------|
| STATISTICS OF SMOOTHED COSMIC FIELDS IN PERTURBATION THEORY. I. FORMULATION AND USEFUL FORMULAE IN SECOND-ORDER PERTURBATION THEORY <i>Takahiko Matsubara</i> | 1 |
| CAN RADIATIVE COOLING AND NONGRAVITATIONAL HEATING EXPLAIN SIMULTANEOUSLY THE GLOBAL X-RAY PROPERTIES OF CLUSTERS AND THE UNRESOLVED COSMIC X-RAY BACKGROUND? <i>Yan-Jie Xue & Xiang-Ping Wu</i> | 34 |
| GALAXIES AND INTERGALACTIC MATTER AT REDSHIFT $z \sim 3$: OVERVIEW Ⓔ <i>Kurt L. Adelberger, Charles C. Steidel, Alice E. Shapley, & Max Pettini</i> | 45 |
| A MULTIWAVELENGTH APPROACH TO THE STAR FORMATION RATE ESTIMATION IN GALAXIES AT INTERMEDIATE REDSHIFTS Ⓔ <i>N. Cardiel, D. Elbaz, R. P. Schiavon, C. N. A. Willmer, D. C. Koo, A. C. Phillips, & J. Gallego</i> | 76 |
| THE GRAVITATIONAL LENS B1608+656. I. V -, I -, AND H -BAND HUBBLE SPACE TELESCOPE IMAGING Ⓔ <i>G. Surpi & R. D. Blandford</i> | 100 |
| FAINT ACTIVE GALACTIC NUCLEI AND THE IONIZING BACKGROUND <i>Michael Schirber & James S. Bullock</i> | 110 |
| X-RAY-LUMINOUS GALAXIES. I. CHANDRA OBSERVATIONS OF IRAS 00317-2142 <i>I. Georgantopoulos, A. Zezas, & M. J. Ward</i> | 129 |
| 4C +12.50: A SUPERLUMINAL PRECESSING JET IN THE RECENT MERGER SYSTEM IRAS 13451+1232 <i>M. L. Lister, K. I. Kellermann, R. C. Vermeulen, M. H. Cohen, J. A. Zensus, & E. Ros</i> | 135 |
| SDSS J094857.3+002225: A VERY RADIO LOUD, NARROW-LINE QUASAR WITH RELATIVISTIC JETS? <i>Hong-Yan Zhou, Ting-Gui Wang, Xiao-Bo Dong, You-Yuan Zhou, & Cheng Li</i> | 147 |
| IMPLICATIONS OF VARIABILITY PATTERNS OBSERVED IN TeV BLAZARS ON THE STRUCTURE OF THE INNER JET <i>Chiharu Tanihata, Tadayuki Takahashi, Jun Kataoka, & Greg M. Madejski</i> | 153 |
| EMISSION AND ABSORPTION IN THE M87 LINER <i>Bassem M. Sabra, Joseph C. Shields, Luis C. Ho, Aaron J. Barth, & Alexei V. Filippenko</i> | 164 |
| LONG-TERM CONTINUOUS MONITORING OF THE BROAD-LINE RADIO GALAXIES 3C 390.3 AND 3C 120 WITH THE ROSSI X-RAY TIMING EXPLORER <i>Mario Gliozzi, Rita M. Sambruna, & Michael Eracleous</i> | 176 |
| NONTHERMAL EMISSIONS FROM PARTICLES ACCELERATED BY TURBULENCE IN CLUSTERS OF GALAXIES <i>Yutaka Fujita, Motokazu Takizawa, & Craig L. Sarazin</i> | 190 |
| THE HAWAII+ANGLO-AUSTRALIAN OBSERVATORY K-BAND GALAXY REDSHIFT SURVEY. I. THE LOCAL K-BAND LUMINOSITY FUNCTION <i>J.-S. Huang, K. Glazebrook, L. L. Cowie, & C. Tinney</i> | 203 |
| GALAXY STAR FORMATION AS A FUNCTION OF ENVIRONMENT IN THE EARLY DATA RELEASE OF THE SLOAN DIGITAL SKY SURVEY <i>Percy L. Gómez, Robert C. Nichol, Christopher J. Miller, Michael L. Balogh, Tomotsugu Goto, Ann I. Zabludoff, A. Kathy Römer, Mariangela Bernardi, Ravi Sheth, Andrew M. Hopkins, Francisco J. Castander, Andrew J. Connolly, Donald P. Schneider, Jon Brinkmann, Don Q. Lamb, Mark SubbaRao, & Donald G. York</i> | 210 |
| THE STATE OF GALAXY FORMATION IN THE LOCAL UNIVERSE <i>D. J. Pisano & Eric M. Wilcots</i> | 228 |
| CG J1720-67.8: A DETAILED ANALYSIS OF OPTICAL AND INFRARED PROPERTIES OF A NEW ULTRACOMPACT GROUP OF GALAXIES <i>S. Tempurin, R. Weinberger, G. Galaz, & F. Kerber</i> | 239 |
| THE COOL INTERSTELLAR MEDIUM IN S0 GALAXIES. I. A SURVEY OF MOLECULAR GAS <i>Gary A. Welch & Leslie J. Sage</i> | 260 |

| | <i>Page</i> |
|---|-------------|
| EXOTIC LENSING CORRECTIONS TO THE MICROLENSING OPTICAL DEPTH <i>J.-F. Glicenstein</i> | 278 |
| A SUPERNOVA REMNANT COLLISION WITH A STELLAR WIND <i>Pablo F. Velázquez, Gloria Koenigsberger, & Alejandro C. Raga</i> | 284 |
| THE UNIVERSALITY OF TURBULENCE IN THE MOLECULAR INTERSTELLAR MEDIUM AND ITS EXPLOITATION AS A DISTANCE ESTIMATOR <i>Christopher M. Brunt</i> | 293 |
| HYDROGENATION AND CHARGE STATES OF POLYCYCLIC AROMATIC HYDROCARBONS IN DIFFUSE CLOUDS. II. RESULTS <i>Valery Le Page, Theodore P. Snow, & Veronica M. Bierbaum</i> | 316 |
| COMPARING GAS-PHASE AND GRAIN-CATALYZED H ₂ FORMATION <i>Simon C. O. Glover</i> | 331 |
| SOME DIFFUSE INTERSTELLAR BANDS RELATED TO INTERSTELLAR C ₂ MOLECULES <i>J. A. Thorburn, L. M. Hobbs, B. J. McCall, T. Oka, D. E. Welty, S. D. Friedman, T. P. Snow, P. Sonnentrucker, & D. G. York</i> | 339 |
| MOLECULAR OUTFLOW SEARCH IN THE ρ OPHIUCHI A AND B2 REGIONS <i>Takeshi Kamazaki, Masao Saito, Naomi Hirano, Tomofumi Umemoto, & Ryohei Kawabe</i> | 357 |
| K3-50A: AN ULTRACOMPACT H II REGION IONIZED BY A MASSIVE STELLAR CLUSTER <i>Yoshiko K. Okamoto, Hirokazu Kataza, Takuya Yamashita, Takashi Miyata, Shigeyuki Sako, Shinya Takubo, Mitsuhiro Honda, & Takashi Onaka</i> | 368 |
| EMISSION LINES OF [C I] IN THE OPTICAL SPECTRA OF GASEOUS NEBULAE <i>F. P. Keenan, L. H. Aller, K. M. Exter, S. Hyung, & D. L. Pollacco</i> | 385 |
| COLLAPSE UNCORKING AND JET ERUPTION IN GAMMA-RAY BURSTS © <i>E. Waxman & P. Mészáros</i> | 390 |
| BATSE SOFT GAMMA-RAY OBSERVATIONS OF GRO J0422+32 <i>J. C. Ling & Wm. A. Wheaton</i> | 399 |
| A COMPACT CENTRAL OBJECT IN THE SUPERNOVA REMNANT KESTEVEN 79 <i>F. D. Seward, P. O. Slane, R. K. Smith, & M. Sun</i> | 414 |
| UNDERSTANDING THE RADIO EMISSION GEOMETRY OF MULTIPLE-COMPONENT RADIO PULSARS FROM RETARDATION AND ABERRATION EFFECTS <i>Y. Gupta & R. T. Gangadhara</i> | 418 |
| GENERAL RELATIVISTIC ELECTROMAGNETISM AND PARTICLE ACCELERATION IN A PULSAR POLAR CAP <i>Nobuyuki Sakai & Shinpei Shibata</i> | 427 |
| ACCRETION AND OUTFLOW IN INTERACTING BINARY SYSTEMS: FAR ULTRAVIOLET SPECTROSCOPIC EXPLORER OBSERVATIONS OF THE NOVA-LIKE CATAclysmic VARIABLE UX URSAE MAJORIS <i>Cynthia S. Froning, Knox S. Long, & Christian Knigge</i> | 433 |
| THE EXTRAORDINARY X-RAY LIGHT CURVE OF THE CLASSICAL NOVA V1494 AQUILAE (1999 NO. 2) IN OUTBURST: THE DISCOVERY OF PULSATIONS AND A "BURST" <i>Jeremy J. Drake, R. Mark Wagner, Sumner Starrfield, Yousaf Butt, Joachim Krautter, H. E. Bond, M. Della Valle, R. D. Gehrz, Charles E. Woodward, A. Evans, M. Orio, P. Hauschildt, M. Hernanz, K. Mukai, & J. W. Truran</i> | 448 |
| DISCOVERY OF A TIGHT BROWN DWARF COMPANION TO THE LOW-MASS STAR LHS 2397a <i>Melanie Freed, Laird M. Close, & Nick Siegler</i> | 453 |
| THE MOLECULAR CONTINUUM OPACITY OF ²⁴ MgH IN COOL STELLAR ATMOSPHERES <i>P. F. Weck, A. Schweitzer, P. C. Stancil, P. H. Hauschildt, & K. Kirby</i> | 459 |
| EXCITATION OF ORBITAL ECCENTRICITIES BY REPEATED RESONANCE CROSSINGS: REQUIREMENTS <i>E. I. Chiang</i> | 465 |
| A NEW METHOD FOR ESTIMATING WIDTHS, VELOCITIES, AND SOURCE LOCATION OF HALO CORONAL MASS EJECTIONS <i>G. Michalek, N. Gopalswamy, & S. Yashiro</i> | 472 |
| MAGNETIC FLUX EMERGENCE INTO THE SOLAR CORONA. III. THE ROLE OF MAGNETIC HELICITY CONSERVATION <i>M. Zhang & B. C. Low</i> | 479 |
| ELECTRON ACCELERATION BY LOWER HYBRID TURBULENCE IN SOLAR FLARES <i>Q. Y. Luo, F. S. Wei, & X. S. Feng</i> | 497 |

CONTENTS

v

| | |
|---|-------------|
| TEMPORAL BEHAVIOR OF THE EVERSHED EFFECT <i>A. A. Georgakilas & E. B. Christopoulou</i> | Page 509 |
| STORAGE AND EQUILIBRIUM OF TOROIDAL MAGNETIC FIELDS IN THE SOLAR TACHOCLINE: A COMPARISON BETWEEN MHD SHALLOW-WATER AND FULL MHD APPROACHES <i>Matthias Rempel & Mausumi Dikpati</i> | 524 |
| A NEW KINETIC EQUATION FOR COMPTON SCATTERING <i>George B. Rybicki</i> | 528 |
| 2003 FEBRUARY 20, NUMBER 2 | |
| THE STRUCTURAL EVOLUTION OF SUBSTRUCTURE \oplus <i>Eric Hayashi, Julio F. Navarro, James E. Taylor, Joachim Stadel, & Thomas Quinn</i> | 541 |
| HIGHER ORDER MOMENTS OF THE COSMIC SHEAR AND OTHER SPIN-2 FIELDS \oplus <i>Matias Zaldarriaga & Román Scoccimarro</i> | 559 |
| A LIMIT ON THE COSMOLOGICAL MASS DENSITY AND POWER SPECTRUM FROM THE ROTATION CURVES OF LOW SURFACE BRIGHTNESS GALAXIES <i>Stacy S. McGaugh, Michael K. Barker, & W. J. G. de Blok</i> | 566 |
| RADIO GALAXY REDSHIFT-ANGULAR SIZE DATA CONSTRAINTS ON DARK ENERGY <i>Silviu Podariu, Ruth A. Daly, Matthew P. Mory, & Bharat Ratna</i> | 577 |
| DIPOLE ANISOTROPIES OF IRAS GALAXIES AND THE CONTRIBUTION OF A LARGE-SCALE LOCAL VOID <i>Kenji Tomita</i> | 580 |
| COSMIC MICROWAVE BACKGROUND ANISOTROPY MEASUREMENT FROM PYTHON V \oplus <i>K. Coble, S. Dodelson, M. Dragovan, K. Ganga, L. Knox, J. Kovac, B. Ratna, & T. Souradeep</i> | 585 |
| COSMIC NEEDLES VERSUS COSMIC MICROWAVE BACKGROUND RADIATION <i>Aigen Li</i> | 593 |
| PROBING INTRACLUSTER MAGNETIC FIELDS WITH COSMIC MICROWAVE BACKGROUND POLARIZATION \oplus <i>Hiroshi Ohno, Masahiro Takada, Klaus Dolag, Matthias Bartelmann, & Naoshi Sugiyama</i> | 599 |
| COSMOLOGICAL EFFECTS OF THE FIRST STARS: EVOLVING SPECTRA OF POPULATION III <i>Jason Tumlinson, J. Michael Shull, & Aparna Venkatesan</i> | 608 |
| EVOLVING SPECTRA OF POPULATION III STARS: CONSEQUENCES FOR COSMOLOGICAL REIONIZATION <i>Aparna Venkatesan, Jason Tumlinson, & J. Michael Shull</i> | 621 |
| SPATIALLY RESOLVED MILLIMETER INTERFEROMETRY OF SMM J02399-0136: A VERY MASSIVE GALAXY AT $z = 2.8$ \oplus <i>Reinhard Genzel, Andrew J. Baker, Linda J. Tacconi, Dieter Lutz, Pierre Cox, Stéphane Guilloteau, & Alain Omont</i> | 633 |
| CONSTRAINTS ON THE CLUSTER ENVIRONMENTS AND HOT SPOT MAGNETIC FIELD STRENGTHS OF THE RADIO SOURCES 3C 280 AND 3C 254 \oplus <i>Megan Donahue, Ruth A. Daly, & Donald J. Horner</i> | 643 |
| MICROLENSING OF RELATIVISTIC KNOTS IN THE QUASAR HE 1104-1805 AB \oplus <i>Paul L. Schechter, A. Udalski, M. Szymański, M. Kubiak, G. Pietrzyński, I. Soszyński, P. Woźniak, K. Żebruń, O. Szweczyk, & Ł. Wyrzykowski (THE OGLE COLLABORATION)</i> | 657 |
| ANALYTIC CROSS SECTIONS FOR SUBSTRUCTURE LENSING <i>Charles R. Keeton</i> | 664 |
| TWO-DIMENSIONAL AXISYMMETRIC COLLAPSE OF THERMALLY UNSTABLE PRIMORDIAL CLOUDS <i>Chang Hyun Baek, Hyesung Kang, & Dongsu Ryu</i> | 675 |
| ON THE INCIDENCE OF STRONG GRAVITATIONAL LENSING BY CLUSTERS IN THE LAS CAMPANAS DISTANT CLUSTER SURVEY <i>Dennis Zaritsky & Anthony H. Gonzalez</i> | 691 |
| SAMPLE VARIANCE CONSIDERATIONS FOR CLUSTER SURVEYS <i>Wayne Hu & Andrey V. Kravtsov</i> | 702 |
| SOFT X-RAY EXCESS EMISSION IN CLUSTERS OF GALAXIES OBSERVED WITH XMM-NEWTON <i>J. Nevalainen, R. Lieu, M. Bonamente, & D. Lumb</i> | 716 |
| THERMODYNAMIC DESCRIPTION OF A FAMILY OF PARTIALLY RELAXED STELLAR SYSTEMS <i>G. Bertin & M. Trenti</i> | 729 |

| | Page |
|--|------|
| THE CHEMICAL COMPOSITION OF THE 30 DORADUS NEBULA DERIVED FROM VERY LARGE TELESCOPE ECHELLE SPECTROPHOTOMETRY [ⓔ] <i>Antonio Peimbert</i> | 735 |
| A NEW X-RAY FLARE FROM THE GALACTIC NUCLEUS DETECTED WITH THE XMM-NEWTON PHOTON IMAGING CAMERAS <i>A. Goldwurm, E. Brion, P. Goldoni, P. Ferrando, F. Daigne, A. Decourchelle, R. S. Warwick, & P. Predehl</i> | 751 |
| ON THE MAGNETIC FIELDS AND PARTICLE ACCELERATION IN CASSIOPEIA A <i>Jacco Vink & J. Martin Laming</i> | 758 |
| FAR-ULTRAVIOLET SPECTRA OF A NONRADIATIVE SHOCK WAVE IN THE CYGNUS LOOP <i>John C. Raymond, Parviz Ghavamian, Ravi Sankrit, William P. Blair, & Salvador Curiel</i> | 770 |
| A CLEAN-BASED METHOD FOR DECONVOLVING INTERSTELLAR PULSE BROADENING FROM RADIO PULSES <i>N. D. R. Bhat, J. M. Cordes, & S. Chatterjee</i> | 782 |
| SCINTILLATIONS AND LÉVY FLIGHTS THROUGH THE INTERSTELLAR MEDIUM <i>Stanislav Boldyrev & Carl Gwinn</i> | 791 |
| TIME DEPENDENCE OF THE ULTRAVIOLET RADIATION FIELD IN THE LOCAL INTERSTELLAR MEDIUM <i>Antonio Parravano, David J. Hollenbach, & Christopher F. McKee</i> | 797 |
| H ¹³ CO ⁺ AND CH ₃ OH LINE OBSERVATIONS OF PRESTELLAR DENSE CORES IN THE TMC-1C REGION. II. INTERNAL STRUCTURE <i>Shigehisa Takakuwa, Takeshi Kamazaki, Masao Saito, & Naomi Hirano</i> | 818 |
| STRUCTURE OF THE MID-INFRARED-EMITTING DISK AROUND WL 16 <i>Michael E. Ressler & Mary Barsony</i> | 832 |
| X-RAYS FROM THE VICINITY OF THE PROTOSTAR L1551 IRS 5: REFLECTION OR FAST SHOCKS? <i>John Bally, Eric Feigelson, & Bo Reipurth</i> | 843 |
| ASTROPHYSICS OF YOUNG STAR BINARIES <i>L. Prato, T. P. Greene, & M. Simon</i> | 853 |
| PROTOPLANETARY DISK MASS DISTRIBUTION IN YOUNG BINARIES [ⓔ] <i>Eric L. N. Jensen & Rachel L. Akeson</i> | 875 |
| CLUSTERED STAR FORMATION IN W75 N <i>D. S. Shepherd, L. Testi, & D. P. Stark</i> | 882 |
| X-RAY LINES FROM GAMMA-RAY BURSTS <i>Pawan Kumar & Ramesh Narayan</i> | 895 |
| COMPARISON OF REDSHIFT-KNOWN GAMMA-RAY BURSTS WITH THE MAIN GROUPS OF BRIGHT BATSE EVENTS <i>Igor G. Mitrofanov, Anton B. Sanin, Dmitriy S. Anfimov, Maxim L. Litvak, Michael S. Briggs, William S. Paciesas, Geoffrey N. Pendleton, Robert D. Preece, & Charles A. Meegan</i> | 904 |
| X-RAYS IN THE ORION NEBULA CLUSTER: CONSTRAINTS ON THE ORIGINS OF MAGNETIC ACTIVITY IN PRE-MAIN-SEQUENCE STARS [ⓔ] <i>Eric D. Feigelson, James A. Gaffney III, Gordon Garmire, Lynne A. Hillenbrand, & Leisa Townsley</i> | 911 |
| GRB 010921: STRONG LIMITS ON AN UNDERLYING SUPERNOVA FROM THE HUBBLE SPACE TELESCOPE <i>P. A. Price, S. R. Kulkarni, B. P. Schmidt, T. J. Galama, J. S. Bloom, E. Berger, D. A. Frail, S. G. Djorgovski, D. W. Fox, A. A. Henden, S. Klose, F. A. Harrison, D. E. Rechart, R. Sari, S. A. Yost, T. S. Axelrod, P. McCarthy, J. Holtzman, J. P. Halpern, R. A. Kimble, J. C. Wheeler, R. A. Chevalier, K. Hurley, G. R. Ricker, E. Costa, F. Frontera, & L. Piro</i> | 931 |
| THEORY AND ASTROPHYSICAL CONSEQUENCES OF A MAGNETIZED TORUS AROUND A RAPIDLY ROTATING BLACK HOLE <i>Maurice H. P. M. van Putten & Amir Levinson</i> | 937 |
| THE MAGNETOROTATIONAL INSTABILITY IN CORE-COLLAPSE SUPERNOVA EXPLOSIONS [ⓔ] <i>Shizuka Akiyama, J. Craig Wheeler, David L. Meier, & Itamar Lichtenstadt</i> | 954 |
| STABILITY OF STANDING ACCRETION SHOCKS, WITH AN EYE TOWARD CORE-COLLAPSE SUPERNOVAE [ⓔ] <i>John M. Blondin, Anthony Mezzacappa, & Christine DeMarino</i> | 971 |
| FLUX ENHANCEMENT IN THE INNER REGION OF A GEOMETRICALLY AND OPTICALLY THICK ACCRETION DISK <i>R. Misra & K. Sriram</i> | 981 |
| THE PROBABILITY DISTRIBUTION OF BINARY PULSAR COALESCENCE RATES. I. DOUBLE NEUTRON STAR SYSTEMS IN THE GALACTIC FIELD <i>C. Kim, V. Kalogera, & D. R. Lorimer</i> | 985 |

CONTENTS

vii

| | |
|--|-------------|
| XTE J1946+274 = GRO J1944+26: AN ENIGMATIC Be/X-RAY BINARY <i>Colleen A. Wilson, Mark H. Finger, M. J. Coe, & Ignacio Negueruela</i> | Page 996 |
| REVISED ANALYSIS OF THE SUPERSOFT X-RAY PHASE, HELIUM ENRICHMENT, AND TURNOFF TIME IN THE 2000 OUTBURST OF THE RECURRENT NOVA CI AQUILAE <i>Izumi Hachisu, Mariko Kato, & Bradley E. Schaefer</i> | 1008 |
| A NEW TECHNIQUE FOR DETERMINING THE NUMBER OF X-RAY SOURCES PER FLUX DENSITY INTERVAL <i>A. T. Kenter & S. S. Murray</i> | 1016 |
| CH CYGNI. I. OBSERVATIONAL EVIDENCE FOR A DISK-JET CONNECTION <i>J. L. Sokoloski & S. J. Kenyon</i> | 1021 |
| CH CYGNI. II. OPTICAL FLICKERING FROM AN UNSTABLE DISK <i>J. L. Sokoloski & S. J. Kenyon</i> | 1027 |
| ON THE ORIGIN OF LONG SECONDARY PERIODS IN SEMIREGULAR VARIABLES <i>E. A. Olivier & P. R. Wood</i> | 1035 |
| NEAR-FIELD MICROLENSING AND ITS EFFECTS ON STELLAR TRANSIT OBSERVATIONS BY <i>KEPLER</i> <i>Kailash C. Sahu & Ronald L. Gilliland</i> | 1042 |
| INFRARED OBSERVATIONS DURING THE SECONDARY ECLIPSE OF HD 209458b. I. 3.6 MICRON OCCULTATION SPECTROSCOPY USING THE VERY LARGE TELESCOPE <i>L. Jeremy Richardson, Drake Deming, Guenter Wiedemann, Cedric Goukenleuque, David Steyert, Joseph Harrington, & Larry W. Esposito</i> | 1053 |
| SOLAR ENERGETIC PARTICLE PRODUCTION BY CORONAL MASS EJECTION-DRIVEN SHOCKS IN SOLAR FAST-WIND REGIONS <i>S. W. Kahler & D. V. Reames</i> | 1063 |
| OPTICALLY THICK GYROSYNCHROTRON EMISSION FROM ANISOTROPIC ELECTRON DISTRIBUTIONS <i>G. D. Fleishman & V. F. Melnikov</i> | 1071 |
| THE FORMATION OF A PROMINENCE IN NOAA ACTIVE REGION 8668. II. <i>TRACE</i> OBSERVATIONS OF JETS AND ERUPTIONS ASSOCIATED WITH CANCELING MAGNETIC FEATURES <i>Jongchul Chae</i> | 1084 |
| FORMATION OF A SPORADIC PLASMA JET FROM A DISRUPTING MAGNETIC FLUX TUBE <i>J. I. Sakai, K. Nishi, & I. V. Sokolov</i> | 1095 |
| THE PROPERTIES OF SMALL MAGNETIC REGIONS ON THE SOLAR SURFACE AND THE IMPLICATIONS FOR THE SOLAR DYNAMO(S) <i>Herman J. Hagenaar, Carolus J. Schrijver, & Alan M. Title</i> | 1107 |
| ROLE OF THE HALL CURRENT IN MAGNETOHYDRODYNAMIC DYNAMOS <i>Pablo D. Mininni, Daniel O. Gómez, & Swadesh M. Mahajan</i> | 1120 |